

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JAN 11 1982

Returned to applicant for correction.....

Corrected application filed.....

Map filed JAN 18 1982

The applicant Robert W. Bonnell

204 Orchid Dr., of Las Vegas,
Street and No. or P.O. Box No. City or Town

Nev 89107, hereby make.... application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.2 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for quasi-municipal domestic
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated:.....

(b) Stockwater, state number and kinds of animals to be watered:.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: the SE¼ NW¼ Section 13 T.22S.,
Describe as being within a 40-acre subdivision of public
R.60E., M.D.M., Clark County Nevada: S.20°47'13" E., 898.7 feet to the center
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
one-quarter corner of said Section 13.

6. Place of use SE¼ NE¼ SE¼ NW¼ Section 13 T.22S., R.60E., M.D.M., Clark County
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
Nevada,

7. Use will begin about January 1st and end about December 1st, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) by well and pipes
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$14.00 a foot

10. Estimated time required to construct works 14 days
If well completed, describe works.
11. Estimated time required to complete the application of water to beneficial use 90 days
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
To serve four 1/2 acre lots
Please refer to map under 38310
Will you please send me the number of this quasi for the Health Dept., so I
can get these 1/2 acres recorded. Thank you.

By s/Robert W. Bonnell
204 Orchid Drive
Las Vegas, Nev 89107

Compared js/ja bl/sg

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.2 cubic feet per second, but not to exceed 1.46 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before September 14, 1983

Proof of completion of work shall be filed before October 14, 1983

Application of water to beneficial use shall be made on or before September 14, 1985

Proof of the application of water to beneficial use shall be filed on or before October 14, 1985

Map in support of proof of beneficial use shall be filed on or before _____

Completion of work filed _____ IN TESTIMONY WHEREOF, I, PETER G. MORROS,

Proof of beneficial use filed _____ State Engineer of Nevada, have hereunto set my hand and the seal of

Cultural map filed _____ my office, this 14th day of SEPTEMBER,

Certificate No. _____ Issued _____



218 (Rev.)

SEP 19 82

Peter G. Morros
 State Engineer

NOV 25 1985
 CANCELLED BECAUSE OF FAILURE
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
Peter G. Morros
 STATE ENGINEER